



Sewing machine Division of Fujioka Newlong Industrial Co., Ltd. factory was granted ISO9001 Certifications on October 18, 1999.

# GENERAL CATALOG

# SEWING MACHINE



NEWLONG INDUSTRIAL CO., LTD.

MM-002

# BAG CLOSING MACHINE HEAD



Model	DS-2 II
Max. Speed	1400rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7~12mm
Needle	DR×2 #25
Thread	20/6 · 20/9
Bag Material	Paper·PP·Cotton·Jute
Oiling	by hand · Oiler

Model	DS-5 II
Max. Speed	800rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7~12mm
Needle	DR×2 #25
Thread	20/6 · 20/9
Bag Material	Paper · PP · Jute
Oiling	by hand

Model	DS-C
Max. Speed	1400rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7~12mm
Needle	DR×2 #25
Thread	20/6 · 20/9
Bag Material	Paper
Oiling	by hand · Oiler



Model	DS-6AC	DS-6HS/DS-6W
Max. Speed	1400rpm	1800rpm
Seam	Duble thread chain stitch (Type 401)	
Stitch Width	7~10.5mm	
Needle	DR×2 #25	
Thread	20/6 · 20/9	
Bag Material	Paper · PP	
Oiling	by hand · Oiler	

Model	DS-7A / DS-7C
Max. Speed	1600rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7.7mm (fixed)
Needle	DN-H29 #26
Thread	20/6 · 20/9
Bag Material	Paper · PP
Oiling	by hand · Oiler

Model	DS-9A / DS-9C
Max. Speed	2500rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7~10.5mm
Needle	DR-H30 #26
Thread	20/6 · 20/9
Bag Material	Paper · PP
Oiling	Oil bath

# BAG SEWING MACHINE HEAD



※ A photograph is DN-2HS.  
DN-2LHS is a symmetrical type of photograph.



Model	DN-2HS / DN-2LHS
Max. Speed	3000rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7~12mm
Needle	DR×2 #25
Thread	20/6 · 20/9
Bag Material	Paper · PP
Oiling	Autmatic

Model	DN-2W
Max. Speed	3000rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7~11mm
Needle	UY143GS 200
Thread	20/6 · 20/9
Bag Material	Paper · PP
Oiling	Autmatic

Model	DN-5U
Max. Speed	2800rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7~12mm
Needle	DR×2 #25
Thread	20/6 · 20/9
Bag Material	Paper · PP
Oiling	Autmatic



Model	DKN-1 / DKN-1BP
Max. Speed	3800rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	3.6~8.5mm
Needle	UY143GS 200
Thread	20/6
Bag Material	Paper · PP
Oiling	Autmatic

Model	DKN-3BP	DKN-3W
Max. Speed	5000rpm	4000rpm
Seam	Duble thread chain stitch (Type 401)	
Stitch Width	5~9.5mm	
Needle	UY144GS 200	
Thread	20/6	
Bag Material	PP	
Oiling	Autmatic	


Model	DR-3A
Max. Speed	1800rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	6.5~15mm
Needle	DO-H33 #27
Thread	Cotton · Synthetic · Jute
Bag Material	Jute · Container bags
Oiling	by hand · Oiler

# SPECIAL SEWING MACHINE HEAD


<http://www.altatech.com.mx>

Oficina Matriz  
 Poniente 150 No. 838 B-1  
 Col. Industrial Vallejo Del. Azcapotzalco  
 C.P. 02300 México D.F.  
 Tel. 5587-1247 Fax. 5567-0791  
 e-mail: ventas@altatech.com.mx

Sucursal Querétaro  
 Calle Kellogg's No. 8 Parque Industrial  
 El Pueblito C.P. 76900 Corregidora, Qro  
 Tels. (422) 225 4002 225 3004 225 3633  
 e-mail: altaqro@altatech.com.mx



Model	DHR-6
Max. Speed	1400rpm
Seam	Overseaming stitch
Stitch Width	6~13mm
Needle	UY9853G 430
Thread	Polypropylene
Bag Material	Jute · PP
Oiling	by hand · Oiler

Model	HR-2A
Max. Speed	1800rpm
Seam	Overseaming stitch
Stitch Width	6.5~15mm
Needle	UO1970 400
Thread	Cotton · Jute
Bag Material	Jute · PP
Oiling	by hand · Oiler

Model	DR-7UW
Max. Speed	1400rpm
Seam	Duble thread chain stitch (Type 401)
Stitch Width	7~12mm
Needle	UO-H34 #29
Thread	Polypropylene
Bag Material	Container bags
Oiling	by hand · Oiler



Model	DD-5
Max. Speed	1500rpm
Seam	Lock stitch
Stitch Width	Free feed
Needle	216×7 280
Thread	Cotton
Bag Material	Container bags Jute (jute bag repair)
Oiling	by hand · Oiler

Model	HR-4AC	HR-4A	HR-4B
Max. Speed	1800rpm		
Seam	Overseaming stitch		
Stitch Width	3.5~6mm		
Needle	DR-G94 #27	SG-H28 #26	
Thread	Synthetic	Wool	
Application	The carpet for cars	Rug · Carpet	
Oiling	by hand · Oiler		

Model	HR-4N
Max. Speed	800rpm
Seam	Overseaming stitch (cording)
Stitch Width	6.5~15mm
Needle	DR-H32 #32
Thread	Synthetic
Application	Fishing net · Sport net
Oiling	by hand · Oiler

## NEWLONG INDUSTRIAL CO., LTD.

8-14,SHIRATORI,4-CHOME,KATSUSHIKA-KU,TOKYO,125-0063,JAPAN

TOKYO HEAD OFFICE  
 MECHANICAL DESIGN ENGINEERING DEPT.

TEL:81-3-3603-2284 FAX:81-3-3603-2253  
 TEL:81-3-3603-2252 FAX:81-3-3602-2694

URL <http://NLwww.com/>  
 E-mail [info@nlwww.com](mailto:info@nlwww.com)